



The Department of Mathematics

2023–24–B term

Course Name Introduction to Set Theory

Course Number 201.1.0171

Course web page

<https://www.math.bgu.ac.il/en/teaching/spring2024/courses/intro-to-logic-and-sets>

Lecturer Dr. Moshe Kamensky, <kamenskm@bgu.ac.il>, Office 104

Office Hours <https://www.math.bgu.ac.il/en/teaching/hours>

Abstract

עקב הערכות מיוחדות בעקבות המלחמה, יוצגו רק חלק מהנושאים, בהתאם להתקדמות בפועל. פרטים נוספים בעמוד הקורס במודל

Requirements and grading¹

הרכב הציון בקורס

- כדי לעבור את הקורס צריך לעבור את הבחינה המסכמת בציון של 56 ומעלה. החומר לבחינה כולל את כל החומר שכוסה בפועל בקורס, לרבות ההרצאה ותרגילי הבית.
- אם הציון בבחינה המסכמת הוא 56 או יותר, אז הרכב הציון הוא:
 - עבודות בית: 2 נקודות כל מטלה. תהיה מטלה אחת בשבוע, בקירוב
 - בחינה מסכמת: 80 נקודות
- אם הציון בבחינה המסכמת נמוך מ-56 אז הוא הציון הסופי.
- לא ניתן לקבל יותר מ-100

היעדרויות ואיחורים אישור לקבלת הארכה להגשת העבודות ינתן לפי שיקול המרצה, בהתאם לסיבות המוגדרות **מניעה חמורה** בנוהל הבחינות של האוניברסיטה. בנוסף, יינתנו התאמות מיוחדות במסגרת המלחמה (להלן).

¹Information may change during the first two weeks of the term. Please consult the webpage for updates



התאמות למשרתי מילואים

- התאמות למשרתי מילואים ונפגעי המלחמה יינתנו בהתאם לנוהל האוניברסיטאי².
- בפרט, סטודנטים שישרתו במילואים במהלך הסמסטר יהיו זכאים להגיש את המטלות עד סוף הסמסטר, לא יאוחר מה-26 ביולי 2024
- במקרים של מילואים ממושכים או מצבים מיוחדים, יתואם פתרון אישי
- תלמידים שהמצבים הללו חלים עליהם, מוזמנים לפנות אלי לגבי התאמות.

Course topics

- 1 Partially ordered sets. Chains and antichains. Examples. Erdos-Szekeres' theorem or a similar theorem. The construction of a poset over the quotient space of a quasi-ordered set.
- 2 Comparison of sets. The definition of cardinality as an equivalence class over equinumerosity. The Cantor-Bernstein theorem. Cantor's theorem on the cardinality of the power-set.
- 3 Countable sets. The square of the natural numbers. Finite sequences over a countable set. Construction of the ordered set of rational numbers. Uniqueness of the rational ordering.
- 4 Ramsey's theorem. Applications.
- 5 The construction of the ordered real line as a quotient over Cauchy sequences of rationals.
- 6 Konig's lemma on countably infinite trees with finite levels. Applications. A countable graph is k -colorable iff every finite subgraph of it is k -colorable.
- 7 Well ordering. Isomorphisms between well-ordered sets. The axiom of choice formulated as the well-ordering principle. Example. Applications. An arbitrary graph is k -colorable iff every finite subgraph is k -colorable.
- 8 Zorn's lemma. Applications. Existence of a basis in a vector space. Existence of a spanning tree in an arbitrary graph.
- 9 Discussion of the axioms of set theory and the need for them. Russel's paradox. Ordinals.

²<https://www.bgu.ac.il/standarts/iron-swords/mitve/>



- .10 Transfinite induction and recursion. Applications. Construction of a subset of the plane with exactly 2 point in every line.
- .11 Infinite cardinals as initial ordinals. Basic cardinal arithmetic. Cardinalities of well known sets. Continuous real functions, all real runctions, the automorphisms of the real field (with and without order).